

QK527

F72

1865

LIST

OF

BRITISH FERNS AND THEIR VARIETIES.

COMPILED BY P. NEILL FRASER, EDINBURGH.

[This List contains, so far as known, the names of all the British Ferns and their Varieties hitherto discovered. Mr. Fraser will be glad to be furnished with the names of any new varieties that may be discovered, in order that they may be inserted in future editions of this list.—CANONMILLS LODGE, EDINBURGH, March 1, 1865.]

Adiantum

- Capillus-Veneris, L.
- dissectum
- incisum, M.
- minus
- ramulosum, M.
- rotundatum, M.

Allosorus

- crispus, Bernh.

Asplenium

- Adiantum-nigrum, L.
- acutidentatum, M.
- acutum, Poll.
- attenuatum, M.
- crispatum, M.
- cristatum, M.
- decompositum, M.
- depauperatum, M.
- elongatum, Clap.
- fissum, M.
- flabellatum, M.
- turentum
- incisum, Clap.
- intermedium, M.
- interruptum, Barnea.
- laciniatum, M.
- leptorachis, M.
- microdon, M.
- multifidum, Wol.
- oblongum, M.
- obtusatum, M.
- obtusum, M.
- oxyphyllum, M.
- Serpentini (obtusum)
- serratum, Stansf.
- Silesiacum (decompositum)
- subconfluens, M.
- variegatum, Wol.

- fontanum, Bernh.
- achilleaefolium (millefolium)
- angustatum
- depauperatum, Stansf.
- Halleri, R. Br.
- interruptum
- laciniatum, Stansf.
- laxum, Stansf.
- millefolium, Wol.
- ramosum, M.
- variegatum, Clap.
- germanicum, Weiss.
- acutidentatum, M.
- lanceolatum, Huds.
- Claphamii, M.
- erispatum, M.
- elegans, M.
- laciniatum, Wol.
- microdon, M.
- marinum, L.
- acutum, M.
- assimile, M.
- bierenatum, Clap.
- caudiceps, M.
- erenatum, M.
- euneatum, M.
- elongatum
- incisum, M.
- interruptum, M.
- minus (trapeziforme)
- parallelum, M.
- pulchrum, M.
- ramosum Wollastoni
- Claphami
- ramo-trapeziforme, Clap.
- subbipinnatum, M.
- trapeziforme, Clap.
- refractum, M.
- Ruta-muraria, L.
- alternifolioides (euneatum)

- cristatum, Wol.
- euneatum, M.
- depauperatum, Wol.
- dissectum, Wol.
- elatum, Lang.
- pinnatum, M.
- ramosum, M.
- retusum
- sectum, M.
- semicristatum
- serratum
- spathulatum, M.
- trifidum, M.
- unilaterale, M.
- variabile, M.
- septentrionale, Hoff.
- Trichomanes, L.
- abruptum, M.
- bifurcam, Wol.
- ramosum, M.
- crenato-lobatum, M.
- ramosum, M.
- cristatum, Wol.
- depauperatum, Wol.
- dichotomum, M.
- digitatum (multifidum)
- Harovii, M.
- imbricatam, Wol.
- incisum, M.
- laciniatum, M.
- triangulare, M.
- inciso-lobatum, Sim.
- interruptum, Clap.
- lobatum, M.
- ramosum, M.
- majus, Hort.
- minus
- Moulei, Stansf.
- multifidum, M.
- ramosum, Wol.

D. 10

ramo-depauperatum, *Clap.*
 rotundato-multifidum, *Wol.*
 serratum
 subæquale, *M.*
 varians, *M.*
 Willisoni, *M.*
 viride, *Huds.*
 acutifolium, *Gibs.*
 acutum
 bifidum (multifidum)
 bipinnatum, *Cl.*
 cristatum, *M.*
 cuneatum, *Wol.*
 incisum, *M.*
 multifidum, *Wol.*
 obtusilobum (cuneatum)
 sphenophyllum, *M.*
 stipitatum, *Stansf.*
 varians, *Wol.*

Athyrium

Filix-femina, *Roth.*
 abruptum, *M.*
 acrocladon, *Clap.*
 acuminatissimum, *M.*
 acuminatum, *M.*
 acutidens, *M.*
 adnatum, *M.*
 alatum, *M.*
 amplum, *M.*
 apiculatum
 Applebyanum, *M.*
 apuæforme, *M.*
 Barnesii, *M.*
 biforme, *Stansf.*
 brachycladon, *M.*
 brachypterum, *M.*
 brevipinnulum, *Stansf.*
 Bulleriæ, *M.*
 capitatum, *M.*
 caudiculatum, *M.*
 colpodes, *M.*
 compositum, *Sim.*
 concinnum, *M.*
 confluens, *Tait*
 conioides, *Appleby*
 convexum (rhaeticum)
 coronans, *Sim.*
 coronatum, *M.*
 corymbiferum, *M.*
 corymbifero-depaupera-
 laxum, *Wol.* [tum, *Wol.*
 crispatum, *M.*
 crispum, *M.*
 cristato-gracile, *Wol.*
 curtum, *Wol.*
 curvatum, *M.*
 dareoides, *M.*

davallioides (dareoides, *M.*)
 decompositum, *M.*
 decurrens, *M.*
 decurrente-cristatum, *Wol.*
 defectum, *Wol.*
 deficiens, *M.*
 delicatissimum, *Stansf.*
 densum (stipitatum)
 denticulatum, *Wol.*
 depauperatum, *Wol.*
multiceps (corymbif.-
 diffissum, *M.* [depaup.)
 angustifrons, *M.*
 gracile, *M.*
 regulare, *M.*
 diffisso-coronans, *Sim*
 gracile, *M.*
 multifidum, *M.*
 multiforme, *M.*
 polydactylum, *Sim*
 dilaceratum, *M.*
 discretum, *M.*
 dissectum, *Wol.*
 distans, *M.*
 divaricatum, *M.*
 diversifrons, *M.*
 elegantissimum, *M.*
 elongatum, *Wol.*
 Elworthii, *M.*
 erosum, *Wol.*
 cristatum, *M.*
 minus, *M.*
 eroso-decurrens, *M.*
 excellens, *M.*
 excurrens, *M.*
 exiguum, *M.*
 exile, *M.*
 Fieldiæ, *M.*
Prichardii, *M.* (*Pri-*
chardii, *Stansf.*)
 pumilum, *M.*
 fimbriatum, *M.*
 nssidens, *M.*
 fissidente excurrens, *Wol.*
 flavo-tinctum, *Wol.*
 flexum, *M.*
 flexuosum, *M.*
 foliosum, *M.*
 folioso-cristatum, *Wol.*
 multifidum, *Wol.*
 foveatum, *M.*
 Friselliæ, *Bain*
 frondosum, *M.*
 frondoso-polydactylum, *Sim*
 furcans, *M.*
 furcatum, *M.* (multifidum)
 furellatum, *M.*
 fureilobum, *M.*

glomeratum, *M.*
 gracile, *M.*
 gracile-polydactylum, *M.*
 gracilissimum, *M.*
 grande, *Wol.*
 grandiceps, *M.*
 grandidens, *M.*
 grandidissimum, *Wol.*
 Grantiæ, *M.*
 impastum, *M.*
 incisum, *Newm.*
truncatum, (laciniato-
 truncatum)
 incompletum, *M.*
 incomptum, *M.*
 inconditum, *M.*
 inexpletum, *M.*
 informe, *M.*
 infundibuliceps, *M.*
 interruptum, *Wol.*
 involvens, *M.*
 irregulare, *M.*
 Iveryanum, *M.*
 laceratum, *M.*
 laciniatum, *M.*
 confluens, *M.*
 dissectum, *M.*
 elegans, *Clap.*
 interruptum, *Clap.*
 lineatum, *M.*
 majus, *M.*
 minus, *M.*
 truncatum, *M.*
 latifolium, *Bab.*
 multifidum, *Stansf.*
 latipes, *M.*
 Laveyanum, *Ivery*
 laxum, *M.*
 attenuatum, *M.*
 multifidum, *M.*
 penicillatum, *M.*
 lepidum, *Sim*
 limbospermum, *M.*
 macilentum, *M.*
 marinum, *M.*
 mesembryanthemoides,
 Michauxi
 minimum, *M.*
 molle, *M.*
 incisum
 Monkmanii, *M.*
 monstrosum (depauperatum)
 mucronatum, *M.*
 multiceps, *M.*
 multicristatum (Elworthii)
 multicuspe, *M.*
 multidens, *M.*
 multifidum, *M.*

furcans, *M.*
 minus, *M.*
 nanum, *M.*
 angustatum, *Stansf.*
 ramosum, *M.*
 semidepauperatum, *Sim.*
 multifurcatum, *M.*
 nudatum, *M.*
 oblongum, *M.*
 obtusum, *M.*
 odontomanes, *M.*
 Ordeanæ, *M.*
 ovatum, *Roth.*
 oxydens, *M.*
 pannosum, *M.*
 nanum, *M.*
 pannoso-diffissum, *M.*
 Parsonsiæ, *M.*
 parvo-capitatum, *Wol.*
 parviceps, *M.*
 patens, *M.*
 pinnatum, *M.*
 plumosum, *M.*
 Barnesii, *M.*
 Thompsonii,
 plumoso-multifidum, *Stansf.*
 polycladon, *M.*
 dissectum, *M.*
 irregulare, *M.*
 minus, *M.*
 polydactylon, *M.*
 majus, *M.*
 præmorsum, *M.*
 præmorso-cristatum, *Wol.*
 Prichardii, *Stansf.*
 productum, *M.*
 pruinosum, *M.*
 pseudathyrioides, *Stansf.*
 pterophorum, *Wol.*
 pulcherrimum, *Wol.*
 pulchrum, *Wol.*
 purpureum, *Hort.*
 pygmæum, *M.*
 pyramidale, *M.*
 ramo-grandiceps, *Clap.*
 ramosum, *Wol.*
 ramoso-cristatum, *Sim.*
 polydactylum, *M.*
 thyssanotum, *M.*
 ramulosum, *M.*
 refractum, *M.*
 repressum, *Sim.*
 rhæticum, *M.*
 interruptum, *M.*
 irregulare, *M.*
 multifidum, *M.*
 nanum, *M.*
 sagittatum, *M.*

semidepauperatum, *Clowes.*
 Sinclairiæ, *M.*
 stenodon, *M.*
 stenophyllum, *M.*
 stipatum, *Wol.*
 strigosum, *Sim.*
 subcristatum, *Wol.*
 subcruceiatum, *Sim.*
 subcruceiforme, *Wol.*
 subdepauperatum, *M.*
 subdigitatum, *M.*
 suberosum, *M.*
 sublaciniatum, *M.*
 submultifidum,
 subplumosum, *M.*
 tenue, *M.*
 thyssanotum, *M.*
 minus, *Sim.*
 multiceps, *Sim.*
 tortile, *M.*
 trifidum, *M.*
 truncatum, *Clap.*
 Tyrelliæ, *M.*
 uncum, *M.*
 undulatum, *M.*
 validum, *M.*
 variabile, *M.*
 varians, *M.*
 variegatum, *Wol.*
 Vernoniæ, *Jervis.*
 Victoriæ, *M.*

Blechnum

Spicant, *Sm.*
 aberrans, *Wol.*
 abruptum, *M.*
 angustifrons, *M.*
 anomalum, *M.*
 minus, *M.*
 apiculatum, *M.*
 attenuatum, *M.*
 bifidum, *Wol.*
 brevifrons, *M.*
 brevilobum, *M.*
 caudatum, *M.*
 cladophorum, *M.*
 concinnum, *M.*
 condensum, *M.*
 contractum, *M.*
 crassicaule (imbricatum)
 crispatum, *Wol.*
 crispato-imbricatum, *M.*
 crispum, *Wol.*
 auritum, *M.*
 crista-galli, *Wol.*
 cristatum, *Wol.*
 deficiens, *M.*
 dentigerum, *M.*

divergens, *M.*
 erosum, *M.*
 fissum, *M.*
 flabellatum, *M.*
 furcatum, *Stansf.*
 gracile, *Stansf.*
 heterophyllum, *Wol.*
 imbricatum, *M.*
 imbricato-erectum, *Stansf.*
 imparatum, *M.*
 inæquale, *M.*
 interruptum, *Wol.*
 lancifolium, *Wol.*
 anomalum, *Stansf.*
 latifrons, *M.*
 latipes, *M.*
 lineare, *M.*
 longidactylum, *Wol.*
 majus, *M.*
 marginato-irregulare, *Clap.*
 minimum, *M.*
 Monkmanii, *Stansf.*
 multiceps, *M.*
 multifidum, *Wol.*
 multifurcatum, *M.*
 mundulum, *M.*
 parvulum, *M.*
 pauperculum, *M.*
 perserratum, *Wol.*
 polydactylon, *M.*
 porrectum (cladophorum)
 præmorsum, *Wol.*
 projectum, *M.*
 ramo-depauper. (variabile)
 ramosum, *Kinahan.*
 anomalum, *Stansf.*
 brevilobum, *Sim.*
 repandum, *M.*
 Serra, *M.*
 serratum, *Wol.*
 rigidum, *Stansf.*
 serrulatum, *Stansf.*
 sinuatum, *M.*
 strictum, *Francis.*
 subrenatum
 subrenato-interruptum, *S.*
 subserratum, *M.*
 imbricatum, *Stansf.*
 tridactylum, *M.*
 trinervium, *Wol.*
 variabile, *M.*
 varians, *Wol.*
 variegatum, *Stansf.*

Botrychium

Lunaria, *Sw.*
 incisum, *Milde.*
 lanceolatum (rutaceum)

rutaceum, *M.*
tripartitum, *M.*

Ceterach

officinarum, *Willd.*
crenatum, *M.*
depauperatum, *Wol.*
ramosum, *M.*

Cystopteris

fragilis, *Bernh.*
angustata, *Link*
asplenioides, *M.*
cristata, *Wol.*
decurrens, *Tait*
dentata, *Hook.*
Dickieana, *M.*
 crispa, *Tait*
furcans, *M.*
intermedia, *Sim*
interrupta, *Wol.*
obtusa, *M.*
ramosa, *M.*
sempervirens, *M. (rhætica)*
tripinnata, *Rupr.*
montana, *Bernh.*
regia, *Desv.*
 furcans, *Lyell*

Gymnogramme

leptophylla, *Desv.*

Hymenophyllum

tunbridgense, *Sm.*
unilaterale, *Bory*
Wilsoni (unilaterale)

Lastrea

æmula, *Brack.*
angustipinnula, *M.*
crispa, *M.*
interrupta, *Clap.*
odontomanes, *M. (L. dilata-
tata odontomanes)*
ramo-crispa, *Clap.*
ramosa, *Clap.*
cristata, *Presl*
spinulosa, *M.*
 crispa, *M.*
 furcans, *Monkm.*
 interrupta, *M.*
 nana, *Sim*
 strigosa, *M.*
 tripinnata, *M.*
 viliginosa, *M.*
dilatata, *Presl.*
acuminata, *M.*
adnata, *M.*

alpina, *M.*
 contracta, *M.*
 unca, *M.*
alta, *M.*
amoena, *Lowe*
angusta, *M.*
angustipinnula, *M.*
athyrioides, *M.*
Blakei, *M.*
Chanteriæ, *M.*
collina, *M.*
compacta, *Sim*
concinna, *M.*
crispa, *M.*
cristata, *M.*
 Dadsii, *Wol.*
curvula, *M.*
davallioides, *Lowe*
decurrens, *M.*
deltoidea, *M.*
distans, *M.*
divergens, *M.*
dumetorum, *M.*
erecta, *Wol.*
erosa, *Wol.*
eroso-interrupta, *M.*
fuscipes, *M.*
glandulosa, *M.*
gracilis, *M.*
grandidens, *M.*
Hankeyanæ, *M.*
Howardii, *Monkm.*
inæqualis
interrupta, *M.*
 minima, *M.*
irregularis, *M.*
lacerata, *M.*
lata, *M.*
laxa, *M.*
lepida, *M.*
lepidota, *M.*
micromera, *M.*
minima, *M.*
nana, *M.*
obtusa, *M.*
odontomanes
Ordeanæ, *M.*
pumila, *M.*
pygmæa, *M.*
ramosa, *M. Nab*
 nana, *M.*
recurvifolia, *M.*
robusta, *M.*
rugosa, *Tait*
Scheerii, *M.*
Smithii, *M.*
sparsifolia, *Lowe*
Stansfieldii, *M.*

stenophylla, *M.*
stricta, *M.*
tanacetifolia, *M.*
tenera, *M.*
uncinella, *M.*
valida, *M.*

Filix-mas, *Presl.*
abbreviata, *Bab.*
 cristata, *Cl.*
acrocladon, *Lowe.*
acutidens, *M.*
affinis (incisa)
Andersonii, *M.*
apicidentata, *M.*
attenuato-multifida, *Wol.*
Barnesii, *M.*
Beeveriæ, *Lowe*
biformis, *M.*
biserrata, *M.*
Bollandiæ, *M.*
Borreri (paleacea)
Clowesii, *M.*
crispa, *Sim*
 gracilis, *Lyell*
cristata, *M.*
 angustata, *M.*
 aspera, *Sim*
 caudata, *Fraser*
 depauperata, *Monkm.*
 prolifera, *Wol.*
decurrens, *M.*
dentata, *Lowe*
dentex, *M.*
deorso-lobata, *M.*
depauperata, *M.*
 Monkmanii, *Monkm.*
dichotoma, *Wol.*
digitata, *Jones*
dissimile, *Monkm.*
elegans, *M.*
elongata, *M.*
erosa, *Cl.*
eroso-dentigera, *M.*
 interrupta, *M.*
 polydactyla, *M.*
eulophe, *Lowe*
excurrens, *M.*
fissa, *M.*
flexuosa, *M.*
foliosa, *Lowe*
furcans, *M.*
gracilis, *Wol.*
grandiceps, *Wol.*
imbriata, *M.*
incisa, *M.*
 crispa, *M.*
 irregularis, *M.*
 recurva, *M.*

Ingramii, *M.*
 interrupta, *M.*
 irregularis
 Jervisii, *M.*
 latipes, *M.*
 Marsdeniæ, *Lowe*
 mikra, *Lowe*
 minor, *M.*
 Monkmanii, *Lowe*
 monstrosa, *M'Nab*
 multieristata, *Lowe*
 multifida, *Wol.*
 multiformis, *Wol.*
 nana, *M.*
 oreopteroides, *Lowe*
 paleacea, *M.*
 paleaceo-crispa, *M.*
 crispata, Wol.
 cristata
 erosa, M.
 furcans, M.
 incisa, M.
 lobata, M.
 multifida, M.
 trapeziforme, Mm
 pallescens, *M.*
 Pinderi, *M.*
 pinnatifida, *Lowe*
 polycuspis, *M.*
 polydactyla, *M.*
 polymorpha, *Wol.*
 producta, *M.*
 prolifera, *Wol.*
 propinqua, *Wol.*
 pulchra, *Wol.*
 pumila, *M.*
 ramosa, *M.*
 ramosissimum, *M.*
 recedens, *M.*
 recurvata, *M.*
 Schofieldii, *Sim*
 serrata
 serrato-multifida, *Monkm.*
 stenophylla, *M.*
 stipitata
 stricta, *Wol.*
 suberispa, *M.*
 suberistata, *M.*
 subintegra, *M.*
 tentex, *M.*
 tortilis, *M.*
 triangularis, *M.*
 truncata, *Clap.*
 variabilis, *Monkm.*
 variegata Graysoni, *Clap.*
 Willisonii, *M.*
 montana, *M.*
 abrupta, *M.*

attenuato-cristata, *Wol.*
 breviloba, *M.*
 caudata, *M.*
 crispa, *M.*
 cristata, *M.*
 curvata, *M.*
 flavo-variegata, *Clap.*
 furcans, *M.*
 interrupta, *M.*
 Nowelliana, *M.*
 plumosa, *M.*
 truncata, *Wol.*
 variegata, *Wol.*
 propinqua, *Wol.* (L. F. mas
 abbreviata)
 remota, *M.*
 rigida, *Presl.*
 polyclados, *M.*
 Thelypteris, *Bory*

Ophioglossum

lusitanicum, *L.*
 vulgatum, *L.*
 microstichum, *M.*
 minus (microstichum)

Osmunda

regalis, *L.*
 cristata, *M.*
 interrupta, *M.*
 pallida, *M.*
 purpurascens, *M.*

Polypodium

alpestre, *Hoppe*
 flexile, *M.*
 incisum
 interruptum, *Sim*
 laciniatum, *M.*
 lanceum, *M.*
 præmorsum, *M.*
 tripinnatum, *M.*

Dryopteris, *L.*

Phegopteris, *L.*

heterophyllum, *M.*
 incisum (laciniatum)
 interruptum, *Lyell*
 laciniatum
 minus, *M.*
 multifidum, *Lowe*

Robertianum, *Hoff.*

vulgare, *L.*

abruptum
 acutum, *M.*

 Stansfieldii, *Lowe*
 acuto-lobatum, *Wol.*
 apicidentatum, *M.*
 attenuatum, *M.*

auritum, *Willd.*
 aurito-dentatum, *Monkm.*
 semilacerum, *M.*
 serrulatum, *M.*

bifidum, *Francis*
 bifido-lobatum, *M.*
 serratum, *M.*

biserratum, *M.*

cambricum, *L.*

canariense, *M.*

capitatum, *Wol.*

compositum, *M.*

coriaceo-bifidum, *Monkm.*

crenatum, *Wol.*

cristatum, *M.*

deltoidium, *Wol.*

dentatum, *Monkm.*

denticulatum, *M.*

excurrens, *Wol.*

hibernicum (semilacerum)

interruptum, *Wol.*

Kraspedoumenon, *Lowe*

laciniatum, *M.*

lobatum, *Sideb.*

macrodis, *M.*

marginatum, *Wol.*

mediauratum, *Wol.*

Monkmanii, *M.*

multauratum, *Wol.*

multifidum, *M.*

multifido-cristatum, *M.*

multiforme, *Cl.*

obtusum, *Stansf.*

omnilacerum, *M.*

ovatum, *M.*

proliferum, *Wol.*

pulcherrimum, *M.*

ramosum, *M.*

Saltii, *M.*

semilacerum, *Link.*

serratum, *Willd.*

serrato-truncatum, *M.*

serrulatum, *Wol.*

serrulato-bifidum, *Monkm.*

sinuatum, *Willd.*

 Monkmanii, *M.*

suberistatum, *Wol.*

suprasoriferum, *Wol.*

Thompsoni, *Monkm.*

tortile, *M.*

truncatum, *M.*

variegatum, *Wol.*

venosum, *M.*

virginianum, *M.*

Polystichum

aculeatum, *Roth.*

acrocladon, *Lowe*

- alatum, *Wol.*
 argutum, *M.*
 crassum, *M.*
 cristatum, *M.*
 densum, *M.*
 dissectum, *Wol.*
 dubium, *Wol.*
 elegans, *Lowe*
 furcatum, *Lowe*
 grandilobum, *Wol.*
 grandiceps, *Wol.* (acrocladon)
 interruptum, *Lowe*
 laciniatum, *Williams*
 lobatum, *Deak.*
 lonchitidoides (lobatum)
 micaceum, *Miles.*
 multifidum, *Wol.*
 plumosum, *Lowe*
 proliferum, *Wol.*
 pteromorphum, *M.*
 pulchrum, *Lowe*
 subcristatum, *Wol.*
 submarginatum, *Wol.*
 tenue, *M.*
 angulare, *Presl*
 abruptum (præmersum)
 absimile, *M.*
 achurodes, *Lowe*
 acrocladon, *M.*
 aculeatoides, *Wol.*
 cristatum, *Wol.*
 aculeatum, *M.*
 acuminatum, *M.*
 acutale, *M.*
 acutidentatum, *M.*
 acutifrons, *Wol.*
 acutilobum, *Wol.*
 acutum, *Wol.*
 dissectum, *M.*
 acuto-gracile, *Wol.*
 affine, *M.*
 affluens, *M.*
 alatum, *M.*
 amplexicaule, *Wol.*
 angustatum (proliferum)
 angustifrons, *M.*
 angustipinnulum, *M.*
 angustum, *Wol.*
 apiculatum, *Wol.* (furcatum)
 arctatum, *M.*
 aristatum, *Wol.*
 ascendens, *Lowe*
 athyrioides, *Wol.*
 attenuatum, *M.*
 attenuato-cristatum, *Wol.*
 Bayliae, *Lyell*
 bilobatum, *Wol.*
 bipinnulum, *Wol.*
 biserratum, *M.*
 crispatum, *Wol.*
 decompositum, *Lowe*
 incompletum, *M.*
 laxum, *Wol.*
 quadratum, *Wol.*
 brachiatum, *M.*
 congestum, *Wol.*
 cristatum, *Jervis*
 multifidum, *Lowe*
 brevipinnulum, *M.*
 bulbiferum, *M.*
 calcaratum, *Wol.*
 canariense, *M.*
 caudiceps, *M.*
 ciliatum, *M.*
 Claphamii (multifidum)
 concavum
 concinnum, *M.* (elegans)
 condensatum, *M.*
 confluens, *M.*
 congestum, *M.*
 cupuliforme, *Lowe*
 conspicuulobum (acutilobum)
 conspicuum, *Wol.*
 contractum
 convexum
 coriaceum, *Wol.*
 cornutum, *Wol.*
 cornutum (grandidens)
 corymbiferum, *M.*
 crassum, *Wol.*
 crenatum, *M.*
 crispatum, *Wol.*
 crispum, *Wol.* (refractum)
 cristatum, *M.*
 Grayi
 Jacksoni
 Padleyi
 Wollastoni, *Sim*
 cristato-gracile, *Wol.*
 Stausfieldii, *Wol.*
 cristulatum, *M.*
 cruciatum, *Wol.* (Elworthii)
 cruciferum, *Wol.*
 cuneatum, *Wol.*
 cuneato-cristatum
 curtum, *M.*
 decompositum, *Wol.*
 Elworthii, *Lowe*
 multifidum, *Lowe*
 splendens, *Lowe*
 decurrens, *M.*
 defectum, *M.*
 deltoideum, *Wol.*
 densum, *M.*
 acutum, *M.*
 denticulatum, *M.*
 deorso-pinnatum, *M.*
 depauperatum, *M.*
 differens, *Wol.*
 diffissum, *Wol.*
 diffusum, *Lowe*
 discretum (proliferum)
 dispar, *Wol.*
 dissimile, *M.*
 diversum, *Wol.*
 divisilobum, *Wol.*
 divinum, *Wol.*
 diviso-crispatum, *Wol.*
 dubium, *Wol.*
 elegans, *Wol.*
 Elworthii, *M.* (cruciatum)
 multifidum
 Wakeleyanum, *M.*
 eraston, *Lowe*
 euprepes, *Lowe*
 exile, *Wol.*
 extremum, *Lowe*
 falcatum (laxum)
 flexuosum, *Wol.*
 foliosum, *Wol.*
 fontanoides, *Wol.*
 formosum, *Lowe*
 furcatum, *M.*
 furcillatum, *M.*
 gracile No. 1, *Wol.*
 No. 2, *Wol.*
 grande, *Wol.*
 grandiceps, *M.*
 grandidens, *M.*
 angustatum, *Lowe*
 Baileyanum, *Lowe*
 cornutum, *Jervis*
 Grayii, *Lowe*
 minus, *Sim*
 siciforme, *Sim*
 grandilobum, *Wol.*
 Grayii, *M.*
 hastulatum, *M.*
 hirsutum (prolif. Cranford-
 hirtellum, *Wol.* [ianum])
 hirtum, *Wol.*
 imbricatum, *M.*
 inæquale, *M.*
 cristatum, *Wol.*
 variegatum, *Wol.*
 incisum, *Wol.* [sectum])
 inciso-acutum (acuto-dis-
 incompletum, *Lowe*
 indivisum, *Wol.*
 ingens, *Wol.*
 intermedium, *M.*
 interruptum, *Wol.*
 interrupto-setosum, *Wol.*
 irregulare, *M.*

kalon, *Lowe*
 Kitsoniæ, *M.*
 kladodesteron, *Lowe*
 korumbion, *Lowe*
 kumatodes, *Lowe*
 laciniatum (interruptum)
 lanceolatum, *M.*
 lancifolium, *Lowe*
 lastreoides, *M.*
 latipes, *M.*
 latipinnulum, *M.*
 latum, *M.* (præmorsum)
 laxum, *M.*
 levidense, *Wol.* (semitripin-
 natum)
 lineare, *M.*
 proliferum, *Lowe*
 lineatum, *Stansf.* (lineare)
 lobatum, *M.*
 longicaule, *Wol.* (latipes)
 magnum, *M.*
 majus, *M.*
 micromerum, *M.*
 microphyllum
 mikron, *Lowe*
 minimum, *M.*
 monolobum, *M.*
 multicristatum (Kitsoniæ)
 multifidum, *Wol.*
 multifido-cristatum, *M.*
 splendens
 multiforme, *Wol.*
 multilobum, *Wol.*
 mundum, *Wol.*
 obovatum, *M.*
 obtusipinnulum, *Wol.*
 obtusissimum, *M.*
 obtusum, *M.*
 opacum, *M.*
 ornatum, *M.*
 ovatum, *M.*
 oxu, *Lowe*
 oxyphyllum, *M.*
 parvulum, *Lowe*
 pauperculum, *M.*
 phylloideum, *Lowe*
 plenum, *Wol.*
 plicatum, *Wol.*
 plumoso-gracile, *M.* (incisum)
 plumosum, *Wol.*
 Elwor: hii
 Jacksoni
 Wollastoni
 polueides, *Lowe*
 polyclados, *M.*
 polydactylum, *M.*
 cornutum, *Lowe*
 præmorsum, *All.*

præmorso-pulchrum, *M.*
 Wollastoni, *Lowe*
 productum, *M.*
 projectum, *Wol.*
 proliferum, *M.*
 Alchirii
 angustatum, *Hort.*
 Cranfordianum, *Phillips*
 Footii, *M.*
 Hardingii, *Lowe*
 Holeanum, *M.*
 Padleyanum, *Lowe*
 tenue, *Clap.*
 Wollastoni, *M.*
 prolongum, *M.*
 pterophorum, *M.*
 pteroton, *Lowe*
 pulchellum, *Wol.*
 pulchello-cristatum, *Wol.*
 pulchrum, *M.*
 irregulare, *Sim*
 pumilum, *M.*
 pyramidale, *M.*
 quadratum, *M.*
 ramo-corymbiferum, *Lowe*
 ramosissimum, *Lowe*
 ramosum, *M.*
 ramulosum, *M.*
 reflexum, *Wol.*
 refractum, *Wol.*
 remotum, *Wol.*
 retroflexum, *Jervis*
 retrusum, *Wol.*
 rigidum, *M.*
 robustum, *M.*
 rotundatum, *M.*
 rotundilobum, *Sim*
 semitripinnatum, *M.*
 serratum, *M.*
 setaceum, *Sim*
 setigerum, *M.*
 setosum (quadratum)
 setoso-dentatum, *Wol.*
 gracile, *Wol.*
 spinulosum, *M.*
 stenophyllum, *M.*
 stimulans, *M.*
 stipatum, *Wol.*
 tripianatum, *M.*
 stipitatum, *Stansf.*
 suberistatum, *Wol.*
 subhastatum, *M.*
 subplumosum, *Wol.*
 subquadripinnatum, *Wol.*
 (deorso-pinnatum, *M.*)
 subtripinnatum, *M.*
 subvariegatum, *Wol.*
 supralineatum, *Wol.* (lineare)

tenellum, *M.*
 Thompsoniæ, *Lowe*
 trapezoideum, *M.*
 angustatum, *M.*
 triangulare, *Wol.*
 trinervium, *Wol.*
 tripinnatum, *M.*
 tripinnato-acutum, *M.*
 decompositum, *Lowe*
 truncatum, *Lowe*
 turgidum, *Wol.*
 undulosum, *Wol.*
 variabile, *M.*
 varians, *Wol.*
 variegatum, *Wol.*
 variegato-crispatum, *Wol.*
 cristatum, *Wol.*
 præmorsum, *Wol.*
 vestitum, *Lowe*
 viviparum, *Wol.*
 Lonchitis, *Roth*
 confertum, *Lowe*
 multifidum, *Wol.*
 proliferum, *Wol.*

Pteris

aquilina, *L.*
 caudata
 crispa, *Wol.*
 depauperata, *Wol.*
 erosa, *M.*
 integerrima, *M.*
 multifida, *Wol.*
 variegata

Scolopendrium

vulgare, *Sm.*
 abruptum, *M.*
 acrocladon
 aduncum, *M.*
 alatum, *Clap.*
 albescens, *M.*
 alcicorne, *Stansf.*
 angustatum (polychides)
 angustato-marginatum, *Wol.*
 angustum, *M.*
 apicilobum, *M.*
 biforme, *Wol.*
 bimarginatum, *Wol.*
 bimarginato-cordatum, *M.*
 multifidum, *Sim*
 muricatum, *M.*
 bisagittatum, *M.*
 bullatum, *M.*
 ceratophyllum, *M.*
 cervi cornu, *M.*
 cheiophorum, *Stansf.*
 chelæfrons, *Wol.*
 majus, *Wol.*

Claphamii, *M.*
 complicatum, *Wol.*
 compositum, *M.*
 confertum, *Sim*
 conjunctum, *M.*
 constellatum, *Clap.*
 constrictum, *M.*
 contortum, *M.*
 contractum, *Wol.*
 coriaceum, *James*
 cornutum, *M.*
 cornuto-abruptum, *M.*
 corrugatum, *Wol.*
 corrugato fissum, *Stansf.*
 corymbiferum
 majus, *Ivery*
 Cousensii, *M.*
 crassifolium, *Sim*
 crenato-crispum, *Monkm*
 lobatum, *M.*
 multifidum, *M.*
 crenulatum
 crispatum, *M.*
 varians, *M.*
 crispum, *Gray*
 bulbiferum
 densum, *Sim*
 fertile
 irregulare, *M.*
 latum, *M.*
 majus, *Jacks.*
 minus, *Jacks.*
 soriferum
 varians, *M.*
 crista galli, *Wol.*
 cristatum, *Clap.*
 cristato-digitatum, *Sim*
 minus, *Sim*
 nanum, *M.*
 ramosum, *M.*
 transversum, *M.*
 cristulum, *Wol.*
 curiosum, *Wol.*
 curtum, *M.*
 cymbæforme, *Wol.*
 dædaleum (digitatum), *Wol.*
 dentatum, *M.*
 denticulatum, *M.*
 deorso-cristatum, *Sim*
 depauperatum, *Wol.*
 detectum, *M.*
 digitatum, *Wol.*
 nanum, *Stansf.*
 discolor, *Wol.*
 dissimile, *Wol.*
 distortum, *M.*
 divaricatum, *M.*
 divergens, *M.*

Drummondia, *M.*
 elato-lobatum, *M.*
 elegans, *M.*
 Elworthii, *M.*
 endivæfolium (laceratum)
 epiphyloides, *M.*
 excurrens, *M.*
 fallax, *M.*
 fimbriatum, *All.*
 fissidens, *Wol.*
 fissile, *M.*
 Monkmanii
 fissum, *M.*
 latum, *M.*
 fisso-lobatum, *M.*
 flabellatum, *M.*
 flavo-papillosum
 tinctum, *M.*
 fœcundum (viro-polyschides)
 furcans, *M.*
 furcatum, *Wol.*
 geminum, *Sim*
 glomeratum, *M.*
 glomerato-digitatum, *Sim*
 Gloveri, *Stansf.*
 gymnosorum, *M.*
 hastatum, *M.*
 majus, *Elw.*
 hemionitoides, *M.*
 Hilmanii, *Williams*
 imbossum, *M.*
 imperfectum, *Wol.*
 inæquale, *All.*
 incisum, *Barnes*
 infralineatum, *Williams*
 inops, *M.*
 interruptum, *Wol.*
 irregulare, *M.*
 laciniatum, *M.*
 majus, *Stansf.*
 Iveryanum, *Ivery*
 Jacksonii, *M.*
 jugosum, *M.*
 Kitsoniæ, *M.*
 laceratum, *M.*
 lacerato-dissectum, *M.*
 elegans, *M.*
 marginatum, *Sim*
 Monkmanii, *M.*
 ramosum, *M.*
 lacerum (depauperatum)
 laciniatum, *Wol.*
 lanceolato-marginatum, *Wol.*
 lanceolum, *M.*
 lato-digitatum, *Stansf.*
 multifidum, *M.*
 limbospermum, *M.*
 limbospermo-cristatum, *Wol.*

lineare
 lineatum, *M.*
 lobatum, *Deak.*
 lonchophorum, *M.*
 longipes, *M.*
 macrosorum, *M.*
 maculosum, *M.*
 Maineianum, *M.*
 Malcomsoni, *Stansf.*
 marginatum, *M.*
 marginato-abruptum, *Stansf.*
 acutum, *Stansf.*
 angustum, *Clap.*
 cornutum, *M.*
 corrugatum, *M.*
 crenatum
 cristatum, *M.*
 fimbriatum, *M.*
 fissile, *Sim*
 fissum, *M.*
 irregulare, *M.*
 laceratum, *Clap.*
 latipes, *M.*
 lobatum, *M.*
 multiceps, *M.*
 multifidum, *Sim*
 papillosum, *M.*
 pygmæum, *Sim.*
 tenue, *M.*
 Martynianum, *Stansf.*
 microdon, *M.*
 Monkmanii, *M.*
 mucronatum, *M.*
 multifidum, *Gray*
 contractum.
 irregulare, *Monkm.*
 majus
 resectum, *Stansf.*
 multiforme, *Wol.*
 multifurcatum, *M.*
 muricatum, *M.*
 muricato-cristatum, *Wol.*
 mutatum, *M.*
 naviculæforme (cymbæforme)
 nudicaule, *All.*
 obliquo-subcornutum, *Wol.*
 obtusidentatum, *M.*
 obtuso-lobatum, *M.*
 opacum, *M.*
 pachyphyllum
 pallescens, *M.*
 papillosum, *M.*
 periferens, *Wol.*
 perifero-cornutum, *M.*
 phyllochlæna, *M.*
 pinnatifidum, *M.*
 plumoso-lobatum, *M.*
 pocilliferum, *M.*

- polyclados.
 polycuspis, *M.*
 angustum, *M.*
 irregularè, *M.*
 transversum, *M.*
 undosum, *M.*
 polydactylum, *Stansf.*
 polymorphum, *Wol.*
 polyphyllum, *Wol.*
 polyschides, *Ray*
 cornutum
 muricatum (bimarginato-
 multifidum)
 pygmæum, *M.*
 undosum
 projectum, *M.*
 projecto-multifidum, *M.*
 proliferum, *Wol.*
 prominens, *M.*
 pumilum, *M.*
 pygmæum, *M.*
 ramo-cristatum, *Clap.*
 marginatum, *Clap.*
 proliferum, *Clap.*
 submarginatum, *M.*
 ramosum, *Gray*
 Low (corymbiferum)
 ramoso-contractum, *M.*
 cristatum, *Clap.*
 densum, *Sim*
 glomeratum, *M.*
 latum, *Sim*
 majus, *Clap.*
 minus, *Jackson*
 Reidiaë, *M.*
 rugosum, *Sim*
 Wollastoni
 reniforme, *Williams*
 resectum, *M.*
 reticulato-fissum, *M.*
 retinervium, *M.*
 rigidum, *Wol.*
 rimosum, *M.*
 rotundifolium, *Stansf.*
 rugosum, *All.*
 sagittatum, *All.*
 sagittato-cristatum, *M.*
 crispum, *M.*
 laceratum, *M.*
 lobatum, *M.*
 nudisorum, *Barnes.*
 polycuspis, *M.*
 projectum, *M.*
 sagittifolium, *Wol.*
 salebrosum, *M.*
 scabrum, *Wol.*
 scalpturatum, *M.*
 scalpturato-latum, *M.*
 lobatum, *M.*
 marginatum, *Sim*
 semipinnatum
 septentrionale, *M.*
 siciforme, *Wol.*
 sinuatum, *Wol.*
 sinuato-lobatum, *M.*
 variegatum
 spirale, *M.*
*Staley*i (laciniatum, *W.*)
Stansfieldii, *M.*
 striatum, *M.*
 subconfluens, *M.*
 subcornutum, *M.*
 sublineato-striatum
 submarginatum, *Wol.*
 submarginato cristatum, *Wol.*
 dentatum, *M.*
 multifidum, *M.*
 projectum
 tenue, *Sim*
 subpinnatum, *M.*
 subtermuricatum, *Wol.*
 subvariegatum, *Wol.*
 supralineatum, *M.*
 angustatum, *Stansf.*
 supralineato-constrictum, *M.*
 finibriatum, *M.*
 lobatum, *M.*
 resectum, *M.*
 turgidum, *M.*
 undosum, *Stansf.*
suprasoriferum (crenato-lobat.
suprasorifero-dichotomum, *M.*
 tortum, *M.*
 tranverso-lobatum, *M.*
 trifforme, *Wol.*
 trilobatum
 turgidum, *Wol.*
 turgido-irregularè, *M.*
 uncinatum, *M.*
 undulatum, *M.*
 undulato-lobatum, *M.*
 multifidum
 projectum, *M.*
 retinervium, *Stansf.*
 undulosum, *Wol.*
 variabile, *Wol.*
 cristatum, *M.*
 variegatum, *Wol.*
 Claphami, *Clap.*
 Wollastoni,
 vespiforme, *Clap.*
 viviparum, *Wol.*
 vivo-polyschides, *Clap.*
 marginatum, *Clap.*
Wardii, *Clap.*
Weaveri, *M.*
- Trichomanes**
radicans, *Sw.*
Andrewsii, *M.*
concinus, *Sim*
tortilis, *Wol.*
- Woodsia**
hyperborea, *R. Br.*
ilvensis, *R. Br.*